## Concordia Parish Police Jury

4001 Carter Street, Rm 1 Vidalia, LA 71373 Phone: 318-336-7151 Fax: 318-336-9915 conppj.org Notice Posted: <u>07/24/2020</u> <u>3:00 p.m.</u> (Time)

## NOTICE OF PUBLIC MEETING REGULAR MEETING AGENDA\*\*

MONDAY, JULY 27, 2020 – 6:00 PM 4001 CARTER STREET, ROOM 2 VIDALIA, LA 71373

OFFICERS:

Joseph Parker, Sr. *President* 

Adam Probst Vice-President

Sandi T. Burley
Secretary /
Treasurer

JURORS:

**District 1A**Maurice Bachus

*District 1B*Joseph Parker, Sr.

**District 2**Willie Bill Yearby

**District 3A**Adam Probst

**District 3B**Scottie Whittington

**District 4A**Genesia Allen

**District 4B**Gary Neal

**District 5A**Collin Edwards

**District 5B**Brad Adams

Call to Order, Invocation, Pledge and Roll Call of Members

- 1) Approve the minutes of Regular Meeting held July 13, 2020
- 2) Mr. Robert Gardner to address the Jurors RE: Registrar of Voters
- 3) Review work request from Concordia Sewer District for Washington Heights Sewer Pond
- 4) Committee Reports / Action:
  - a. Review request from Lake Concordia Advisory Committee for resignation of Mr.
     James Cole and recommendation of Mr. Jonathan Petty
  - b. Ratify Second Quarter Budget Review
  - c. GPS Systems
  - d. Courthouse Tractor and LGAP Amendment
- 5) Projects: Brushy Bayou; Courtroom Renovation; Washington Heights,

Vidalia Canal, FEMA - DR4622, CARES Act

- a. Review for approval Rostan Invoice for \$825 for DR-4622 services
- b. Review for approval Task Order from Rostan Solutions for CARES Act
- 6) Ordinances / Violations
- 7) Adopt the Following Occupational / Beer Licenses:
  - DG Louisiana Dollar General 5342 Hwy 84, Vidalia New Business
- 8) Secretary Treasurer's Report
- 9) Discuss Work Orders / Approve Superintendent's Material & Work Request
- 10) Review Work Orders
- 11) Correspondence / Public Comments (on agenda items)
- 12) Adjourn

<u>Via Telephone:</u> <u>Via App:</u> <u>Via Website:</u>

312-626-6799, 3183367151# Meeting ID: 318 336 7151 https://us02web.zoom.us/j/3183367151